

GENERAL NOTES

- This drawing is the copyright of TPM Landscape Ltd and cannot be reproduced in any form without the consent of the company.
- This drawing is to be read in conjunction with detail landscape drawings, details and specification.
- This drawing is to be read in conjunction with all relevant Architects', Engineer's, Specialists, Bills of Quantities and Specifications.
- The insertion of any firm or proprietary brand on this drawing is an indication of the class or quality required and does not exclude the use of alternative materials that are equal in performance, quality and appearance, provided that they have been approved in writing by the Landscape Architect.
- The Contractor is responsible for accurately ascertaining the position of underground services and responding to all relevant service easement requirements.
- All dimensions are in millimetres unless stated otherwise, for the purposes of construction this drawing must not be scaled and only written dimensions used. Written and scaled dimensions to be checked on site, any discrepancies reported prior to work commencing. IF IN DOUBT PLEASE ASK.
- All work and materials are to be in accordance with the relevant British Standards and Code of Practice.
- All Proprietary products are to be used strictly in accordance with the manufacturer's instructions and details.

LEGEND

SOFT LANDSCAPE

- Trees to be Retained
- Proposed POS Tree
Trees to be planted as 18-20cm girth, Semi-mature, min 6m high, to be staked and secured with suitable rubber ties.
- Proposed Native Tree
Trees to be planted as 12-14cm girth, Heavy Standard, 3-4m high, to be staked and secured with suitable rubber ties.
- Proposed Medium Tree
Trees to be planted as 10-12cm girth, Heavy Standard, 3-4m high, to be staked and secured with suitable rubber ties.
- Proposed Orchard Tree
Trees to be planted as 10-12cm girth or 50L pots, 2-3m high and secured with single stake and suitable rubber ties.
- Proposed Small Tree
Trees to be planted as 10-12cm girth or 50L pots, 2-3m high and secured with single stake and suitable rubber ties.
- Proposed POS Grass
To be seeded.
- Proposed Amenity Grass
Front/back gardens to client specification.
- Proposed Bulb Planting
- Proposed Wildflower Meadow
To be Emorsgate EM2 Standard General Purpose Meadow Mix, supplied by Emorsgate or similar approved. Including 80% or ornamental grasses and 20% of wildflowers Sowing rate 4/gm2.
- Proposed Wildflower Meadow for Wetlands
To be Emorsgate EM8 Meadow Mixture for Wetlands, supplied by Emorsgate or similar approved. Including 80% or ornamental grasses and 20% of wildflowers Sowing rate 4/gm2.
- Proposed Wildflower Meadow for Wetlands
To be Emorsgate EM8 Meadow Mixture for Wetlands, supplied by Emorsgate or similar approved. Including 80% or ornamental grasses and 20% of wildflowers Sowing rate 4/gm2.
- Proposed Ornamental Planting
Mixed shrub and herbaceous planting
3-5L pots with 10-15L specimens
Planting beds to receive 75mm depth ornamental bark mulch.
- Proposed Formal Hedge
Evergreen hedge to be planted at 60-80cm, 5L pots, at 5 per lin.m.
- Proposed Native Hedge
80-100cm, BR stock, planted as a double staggered row at 300mm centres


Please refer to TPM drawing 211 for planting schedule and notes

REVISION NOTES

Rev	By	Description	Date
-	-	-	-/-/-

Client	Castle Green Homes		
Project	Evloe Green		
Description	Planting Plan (4 of 8)		
Status	For Approval		
Scale @ A1	1:250	Drawn	EO/AJ
Job number	4495	Checked	KP
		Date	23.02.24
		Revision	-

LOCATION MAP (Not to Scale)



Refer TPM Drawing 4495 206